


Information models as a basis for Interoperability

SemTechBiz
June 3-5, 2013

Stanley M Huff, MD
Chief Medical Informatics Officer



Patient



Core Assumptions

‘The complexity of modern medicine exceeds the inherent limitations of the unaided human mind.’

~ David M. Eddy, MD, Ph.D.

‘... man is not perfectible. There are limits to man’s capabilities as an information processor that assure the occurrence of random errors in his activities.’

~ Clement J. McDonald, MD

Clinical System Approach

Intermountain can only provide the highest quality, lowest cost health care with the use of advanced clinical decision support systems integrated into frontline workflow


Decision Support Modules

- Antibiotic Assistant
- Ventilator weaning
- ARDS protocols
- Nosocomial infection monitoring
- MRSA monitoring and control
- Prevention of Deep Venous Thrombosis
- Infectious disease reporting to public health
- Diabetic care
- Pre-op antibiotics
- ICU glucose protocols
- Ventilator disconnect
- Infusion pump errors
- Lab alerts
- Blood ordering
- Order sets
- Patient worksheets
- Post MI discharge meds


Strategic Goals

- Minimum goal: Be able to share applications, reports, alerts, protocols, and decision support with ALL customers of our same vendor
- Maximum goal: Be able to share applications, reports, alerts, protocols, and decision support with anyone in the **WORLD**

Order Entry API (adapted from Harold Solbrig)




Order Entry API: Different Client, Same Service (adapted from Harold Solbrig)




Order Entry API:

Different Server, Same Client (adapted from Harold Solbrig)



Order Entry API (adapted from Harold Solbrig)




What Is Needed to Create a New Paradigm?

- Standard set of detailed clinical data models coupled with...
- Standard coded terminology
- Standard API's (Application Programmer Interfaces) for healthcare related services
- Open sharing of models, coded terms, and API's
- Sharing of decision logic and applications

Why do we need detailed
clinical models?

A diagram of a simple clinical model

Clinical Element Model for Systolic Blood Pressure



Need for a standard model

- A stack of coded items is ambiguous (SNOMED CT)
 - Numbness of right arm and left leg
 - Numbness (44077006)
 - Right (24028007)
 - Arm (40983000)
 - Left (7771000)
 - Leg (30021000)
 - Numbness of left arm and right leg
 - Numbness (44077006)
 - Left (7771000)
 - Arm (40983000)
 - Right (24028007)
 - Leg (30021000)

What if there is no model?

Site #1

Dry Weight:

Site #2

Weight:

- Dry
- Wet
- Ideal

Too many ways to say the same thing

- A single name/code and value
 - *Dry Weight is 70 kg*
- Combination of two names/codes and values
 - *Weight is 70 kg*
 - *Weight type is dry*

Model fragment in XML

Pre-coordinated representation

```
<observation>  
  <cd>Dry weight (LOINC 8340-2) </cd>  
  <value>70 kg</value>  
</observation>
```

Post-coordinated (compositional) representation

```
<observation>  
  <cd>Weight (LOINC 3141-9) </cd>  
  <qualifier>  
    <cd> Weight type (LOINC 8337-8) </cd>  
    <value> Dry (SNOMED CT 13880007) </value>  
  <qualifier>  
    <value>70 kg</value>  
</observation>
```

Relational database implications

Patient Identifier	Date and Time	Observation Type	Observation Value	Units
123456789	7/4/2005	Dry Weight	70	kg
123456789	7/19/2005	Current Weight	73	kg

Patient Identifier	Date and Time	Observation Type	Weight type	Observation Value	Units
123456789	7/4/2005	Weight	Dry	70	kg
123456789	7/19/2005	Weight	Current	73	kg

How would you calculate the desired weight loss during the hospital stay?

More complicated items:

- Signs, symptoms
- Diagnoses
- Problem list
- Family History
- Use of negation – “No Family Hx of Cancer”
- Description of a heart murmur
- Description of breath sounds
 - “Rales in right and left upper lobes”
 - “Rales, rhonchi, and egophony in right lower lobe”

What do we model?

- All data in the patient's EMR, including:
 - Allergies
 - Problem lists
 - Laboratory results
 - Medication and diagnostic orders
 - Medication administration
 - Physical exam and clinical measurements
 - Signs, symptoms, diagnoses
 - Clinical documents
 - Procedures
 - Family history, medical history and review of symptoms

How are the models used in an EMR?


- Data entry screens, flow sheets, reports, ad hoc queries
 - Basis for application access to clinical data
- Computer-to-Computer Interfaces
 - Creation of maps from departmental/external system models to the standard database model
- Core data storage services
 - Validation of data as it is stored in the database
- Decision logic
 - Basis for referencing data in decision support logic
- Does **NOT** dictate physical storage strategy

Detailed clinical models and terminology

Model & terminology must be done together

- Terminology models and information models
 - models made by data modelers (message standards)
 - models made by terminology groups (maintenance of terms)
- “Impedance mismatch” arises when one group is making terms and another group is making the model
- Post coordination in a single field in the model is just another style of modeling – it is important to make the semantics explicit

Model Centered Data Representation



We assume that the
model is used in
association with a
terminology server.

Model and Terminology

Model


```
MedicationOrder ::= SET {  
    drug          Drug,  
    dose          Decimal,  
    route         DrugRoute,  
    frequency     DrugFrequency,  
    startTime     DateTime,  
    endTime       DateTime,  
    orderedBy     Clinician,  
    orderNumber  OrderNumber}
```

Instance data

```
MedicationOrder {  
    drug          PenVK,  
    dose          250,  
    route         Oral,  
    frequency     Q6H,  
    startTime     09/01/95 10:01,  
    endTime       09/11/95 23:59,  
    orderedBy     Don Jones, M.D.,  
    orderNumber  A234567 }
```

If the medicationOrder.drug is_a “antibiotic”
then notify the infection control officer.

Concept Semantic Network



Denormalized Semantic Network

Drugs	has-child	Antibiotics
Drugs	has-child	Analgesics
Drugs	has-child	Cardiovascular
Antibiotics	has-child	Penicillins
Antibiotics	has-child	Cephalosporins
Antibiotics	has-child	Aminoglycosides
Penicillins	has-child	Pen VK
Penicillins	has-child	Amoxicillin
Penicillins	has-child	Nafcillin
Drugs	has-member	Antibiotics
Drugs	has-member	Penicillins
Drugs	has-member	Pen VK
Drugs	has-member	Amoxicillin
Drugs	has-member	Nafcillin